



CHEFTOP MIND.Maps™ PLUS



Index

CHEFTOP MIND.Maps™ PLUS combi-steamers	page	4
Cooking Assistance	page	8
Technologies	page	12
PLUS capacitive control panel	page	24
CHEFTOP MIND.Maps™ PLUS COUNTERTOP	page	30
CHEFTOP MIND.Maps™ PLUS COMPACT	page	42
CHEFTOP MIND.Maps™ PLUS BIG	page	48
CHEFTOP MIND.Maps™ PLUS BIG COMPACT	page	54
Cooking Essentials Special Trays	page	60
Care and Maintenance	page	68
Technical data	page	74
Technical Assistance	page	84
Unox in the world	page	86

Intelligent combi ovens

CHEFTOP MIND.Maps™ PLUS is the intelligent combi oven that grills, fries, roasts, browns, smokes, cooks with steam and much more. Automatic cooking cycles and smart functions, including Artificial Intelligence, make CHEFTOP MIND.Maps™ PLUS the ideal partner for your kitchen, providing concrete support to your work. CHEFTOP MIND.Maps™ PLUS is designed to meet every need of your business and enable you to improve your kitchen processes.

MIND.Maps™ PLUS combi ovens are available in four versions, to meet the specific needs of each business:

COUNTERTOP 3, 5, 7 and 10 GN 1/1 and 6, 10 GN 2/1 for restaurants and deli shops;

COMPACT 5 and 10 GN 1/1 and 5 GN 2/3 for professional kitchens with small spaces and small shops;

BIG 20 GN 1/1 and 20 GN 2/1 trolley units for contract feeders, hotels and banqueting facilities;

BIG COMPACT 20 GN 1/1 trolley units for contract feeders, hotels and banqueting facilities.



CHEFTOP MIND.Maps™ PLUS
COMPACT



CHEFTOP MIND.Maps™ PLUS
COUNTERTOP



CHEFTOP MIND.Maps™ PLUS
BIG



CHEFTOP MIND.Maps™ PLUS
BIG COMPACT

A photograph of two men in white chef uniforms standing outdoors in a garden. The man on the left is looking towards the camera, while the man on the right has his hands on his hips and is looking slightly to the side. Both uniforms have a red floral logo and the name 'Sandro' or 'Maurizio' embroidered on the chest. The background is a lush garden with green hedges and trees under bright sunlight.

Designed by your desires

Services

Our promise is your guarantee of solid performance. Stay focused on your goals knowing that we are always by your side.

Individual Cooking Experience

Try the oven for free. It's on us.



01

Book

Choose when and where to try your next Unox oven. Call our customer service and set up an appointment at your convenience.

Set up an appointment, call us or book it online on [unox.com](https://www.unox.com)



02

Cook with us

In your kitchen, with your ingredients and your recipes: a Unox Chef will make you experience all the benefits of the ovens' technologies.



03

Choose

Being sure of the results you can achieve, take the time you need to make a choice based on solid certainties.





Cooking Assistance

TOP.Training

Discover your oven



Learn, use, improve

Top.Training is the Unox free training service. Our Chefs will show you everything you need to get the best from your new oven, from its basic features to its most advanced technologies.

Download the **Top.Training** app from Google Play or App Store

Data Driven Cooking Community

Inspire and be inspired



A world of Recipes for your ovens

Let yourself be inspired by the DDC.App cookbook: download the recipes prepared by the Unox Chefs and by the DDC community users. Participate in the community and share your recipe!

Download **DDC.App** from Google Play or App Store

CHEF.Line

You call, Unox answers



24/7

The Unox Chef Team is always at your disposal to give you practical advice on programs cooking methods and to suggest you new recipes: from the most traditional to the most innovative ones.

Call us
International
+39 049 86 57 511
Oceania
+61 3 9876 0803



Apple Store



Play Store

Intelligent. Precise. Connected.

Unox Intelligent Performance

A set of intelligent technologies designed to maximize your output, improve your performance and give shape to your ambitions.

Unox Intensive Cooking

The most advanced technologies to guarantee perfect cooking, uniformity on every tray and maximum cooking intensity.

Data Driven Cooking


Artificial intelligence which allows you to monitor your oven usage and provides you with suggestions to use the ovens in a better way.

Anton Bodyashkin - Ugli Restaurant - Russia

Unox Intelligent Performance

Improve your performances


Achieving identical results for each load requires control, intelligence and expertise: exactly what CHEFTOP MIND.Maps™ PLUS combi oven is made for.



ADAPTIVE.Cooking™

Perfect results. Every time.


By registering changes in humidity and temperature, CHEFTOP MIND.Maps™ PLUS combi oven automatically adjusts the cooking process to the actual food-load to deliver an identical and perfect result every time.



CLIMALUX™

Total humidity control.

The oven features accurate sensors to measure the actual humidity inside the cooking chamber and automatically activates steam production or evacuation to ensure that actual humidity always matches the set one.



SMART.Preheating

Intelligent preheating.

Combining the analysis of previous cooking processes with the requirements of the next one, the oven automatically sets the best temperature and preheating time to guarantee maximum repeatability of results throughout the day, therefore reducing waiting time.



AUTO.Soft

Gentle cooking function.

When activated, the oven automatically regulates the rise in temperature to make it gentler and guarantee an optimal heat distribution on each pan in the oven. The best for delicate and heat-sensitive foods.



SENSE.Clean

Intelligent cleaning.

By estimating the degree of dirtiness, based on the type of cooking recognised by the oven, it suggests the best automatic cleaning mode according to the actual use of the oven. Maximum hygiene and zero waste of water and detergent.

With

Adaptive.Cooking™

It sets automatically all cooking parameters to guarantee the same result for every process.

* Optimal settings for a half load - 30 portions

🕒 6 mins

🌡️ 240 °C

💧 0%

Half load setting used with a single tray or with a full load.

Without

Single tray - 6 portions



Perfectly grilled

Browned outside
Soft inside

Time
5 mins
Average temperature
240 °C
Humidity
0 %



Too much heating

Burned outside
Dry inside

Time
6 min
Average temperature
250 °C
Humidity
0 %

Full load - 60 portions



Perfectly grilled

Browned outside
Soft inside

Time
8 mins
Average temperature
240 °C
Humidity
0 %



Not grilled

Boiled effect
Raw inside

Time
6 min
Average temperature
220 °C
Humidity
50 %

With

CLIMALUX™

Measures the actual humidity in the cooking chamber and produces or extracts the quantity of humidity needed to obtain the set one.

* Optimal settings for a half load - 16 chickens

🕒 38 mins

🌡️ 190 °C

💧 30%

Half load setting used with a single tray or with a full load.

Without

Single tray - 8 chickens



Perfect roasting

Crispy skin
Juicy meat
Minimum weight loss

Humidity
30 %



Burned

Too brown
Stringy meat
Weight loss >35 %

Humidity
20 %

Full load - 24 chickens



Perfect roasting

Crispy skin
Juicy meat
Minimum weight loss

Humidity
30 %



Pale roast

Boiled effect outside
Raw meat
Pale colour

Humidity
80 %

With

Auto.Soft

It manages the rise in temperature and maintains uniformity in every point of the tray, in each tray.

*

Optimal settings for a half load

🕒 10 mins 20 mins

🌡️ 100 °C 190 °C

🌀 100% -100%

Half load setting used with a single tray or with a full load.

Single tray



Perfect browning

Soft inside
Uniform texture
Not burned

Rise time 100 - 190 °C
7 mins



Burned outside

Burned edges
Uneven baking
Less cooked inside

Rise time 100 - 190 °C
1 min

Full load



Perfect browning

Soft inside
Uniform texture
Not burned

Rise time 100 - 190 °C
7 mins



Burned outside

Burned edges
Uneven baking
Less cooked inside

Rise time 100 - 190 °C
3 mins



With

SMART.Preheating

The Intelligence automatically regulates duration and intensity of preheating: intense when the oven is cold, fast or even skipped when the oven is already hot.

*

Optimal settings for a half load



PRE 210 °C

🕒 18 mins

🌡️ 180 °C

Half load setting used with a single tray or with a full load.

Single tray



Perfect browning

Golden external colour


Preheating time
9 mins
Temp. oven chamber steel
180 °C



Perfect browning

Golden external colour

Preheating time
20 sec
Temp. oven chamber steel
180 °C



Pale browning

Pale external colour

Preheating time
6 mins
Temp. oven chamber steel
100 °C





Extreme browning

Burned crust

Preheating time
6 mins
Temp. oven chamber steel
190 °C


Full load



Perfect browning

Golden external colour



Preheating time
9 mins
Temp. oven chamber steel
180 °C



Perfect browning

Golden external colour


Preheating time
20 sec
Temp. oven chamber steel
180 °C



Pale browning

Pale external colour

Preheating time
6 mins
Temp. oven chamber steel
100 °C



Extreme browning


Burned crust

Preheating time
6 mins
Temp. oven chamber steel
190 °C

Unox Intensive Cooking

Maximum cooking intensity

Perfect cooking, uniformity on each tray, saturated and dense steam or complete extraction of humidity, intense or gentle air flows.




DRY.Maxi™

Humidity gives way to flavour.
Effectively removes humidity from the cooking chamber to give your preparations perfect consistency, colour and crunchiness every time.



STEAM.Maxi™

The power of steam is in your hands.
Generates saturated steam from 35 °C and delivers high steaming performance combined with energy and water savings.



6 minutes

full load
of **crunchy bacon**

8 minutes

full load
of **grilled pork chops**

24 minutes


full load
of **steamed rice**

24 minutes

full load
of **steamed potatoes**

39 minutes

full load
of **roasted chickens (1,3 kg)**



AIR.Maxi™

Conducts, unites, transforms.
Uses multiple high flow reversing fans to deliver uniform results and short cooking times. 4 speeds of the fan allow to perform any kind of cooking.



EFFICIENT.Power

Power and efficiency.
Quick temperature rise, high-precision temperature control, ENERGY STAR certified efficiency at the top of the category in combi, dry air and steam modes.



PRESSURE.Steam

Even more steam when you need it.
Increases steam temperature and its saturation to effectively allow you to further reduce steaming time and its intensity.



Data Driven Cooking

**Create.
Understand.
Improve.**

The Data Driven Cooking Artificial Intelligence transforms the consumption data of your oven into useful information that allows you to increase your daily profit.

Data will be always accessible by smartphone or PC

An ecosystem to be discovered

Create and share




Your recipes in all your ovens.
Create your recipe book and synchronize it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.

Understand




Monitor and improve your performance.
DDC.Stats gives you full control over energy, water, and detergent consumption and over your cooking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.

360° Assistance



Let DDC.Coach train you.
DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalize the abilities of your ovens and maximize the return on your investment!

Artificial intelligence in the kitchen



Production Order Schedule

The artificial intelligence algorithm automatically plans the production based on the orders received.



Flexible monitoring and planning




Planning next to the machine

The production plan is sent to Unox ovens making working in the kitchen easier.



Immediate analysis of critical issues




Preparation And Cooking

The operator is guided by the information received on the control panel, that shows the work sequence and the quantities of food to be inserted into the oven.



Automatic and optimized schedule




Traceability and HACCP

All parameters of the executed processes and HACCP data are automatically saved on the cloud.



Order processing

When the cooking finishes, the information is made available immediately to prepare the shipment.



Plan. Monitor. Produce.


Kitchen Scheduler helps you automate and optimise the scheduling process of production lines using Artificial Intelligence.



PLUS capacitive control panel

Comprehensive and intuitive

Automatic cooking processes, manual functions, 384 programs memory and up to 10 simultaneous cooking. A large, readable touchscreen, that is fast and connected.



Outdo yourself



Set

Easy, fast and crystal-clear.

Set any cooking process in a rapid and intuitive way for each of the available cooking steps. All the settings you need in a single screen, up to 9 cooking steps. Limitless creativity.



MIND.Maps™

Do not set a cooking process, draw it.

Add your touch of brilliance. Draw even the most elaborate cooking with a few hand gestures on the display. Design your most complex cooking processes with maximum creative freedom. You imagine, the oven executes.



Programs

384 Programs memory.

All your recipes are unique and repeatable thanks to the personal library that allows you to store and organize your cooking programs. CHEFTOP MIND.Maps™ PLUS can store 384 programs organized in 16 different groups.



MULTI.Time

Up to 10 simultaneous cooking.


Ordered and organized. Manage up to 10 cooking processes at the same time with the MULTI.Time function and have the maximum control with a quick glance.



CHEFUNOX

Choose what you want to cook and the desired result.

Trust and allow your oven to set the cooking parameters for you. Select the type of cooking, the food you want to cook and the degree of cooking you want. Start. Nothing else.



MISE.EN.PLACE

Beyond kitchen organization.

Suggests the correct order and timing for inserting trays inside the cooking chamber to have all the meals ready at the same time. Being punctual has never been so simple.



CHEFTOP MIND.Maps™ PLUS COUNTERTOP

The most intelligent combi oven for Foodservice

CHEFTOP MIND.Maps™ **PLUS**
COUNTERTOP is the combi
oven of choice for those
kitchens that need
maximum performance,
smart technologies
and limitless versatility.

Dream big

Express your creativity

CHEFTOP MIND.Maps™ PLUS COUNTERTOP is the professional oven that can help make your visions a reality. Cook every dish with the certainty of the maximum result. Every single time.

When combined with its accessories, your CHEFTOP MIND.Maps™ PLUS COUNTERTOP becomes a powerful cooking tool that replaces multiple pieces of traditional equipment in your kitchen.

Grilling, frying, roasting, browning, smoking, steaming and much more. Automatic cooking processes and intelligent functions give the guarantee of always impeccable results.

up to **45%**

Less energy compared to a traditional grill

up to **80%**

Less water compared to cooking in boiling water

Up to **90%**

Less oil compared to a fryer



Cooking Perfection
Repeatable
and consistent

Versatility
Simultaneous cooking
of multiple food items


Saving
Energy, time,
ingredients and labor

Intelligence
Focus on your customers,
the oven will do the rest

Versatile solutions for your individual needs

Increase your Possibilities

Find all the possible solutions for your kitchen.
[Configure](#) your CHEFTOP MIND.Maps™ PLUS oven online.



Configurations



Oven + Neutral cabinet

Recommended solution to optimize your kitchen layout and always have everything in the right place.

Art. XWVEC-0811
Technical details at page 82



Oven + Oven

The solution with two stacked units is ideal for maximum versatility, flexibility and energy savings.



Oven + Slowtop

Ideal solution for butchers and deli shops, that combine intense cooking processes with gentle ones, such as holding and night-time cooking.

Art. XEVSC-0711-CRM
Discover more at page 38
Technical details at page 81



Oven + Stand

The multifunctional support ideal for storing trays safely and place your oven at the perfect height to work.

Art. XWVRC-0711-UH
Technical details at page 82

Configurations


COUNTERTOP

COUNTERTOP

Zero smells in your kitchen

Ventless Hood

Within the ventless hood, a self-cleaning filter **removes odours** from the fumes that are expelled through the oven chimney, without the need for maintenance or cleaning work on the filter. It allows you to install your oven even far from a ceiling canopy and force exhausts into it or outside.*




*Subject to inspection and approval by organisations and to local regulations.



With activated carbon filter

Ventless Hood

Features the self-cleaning filter **plus an activated carbon filter** that further removes smells, even those that are sucked when the door is opened at the end of a cooking cycle. It allows you to install your oven far from a ceiling canopy or without it.*




*Subject to inspection and approval by organisations and to local regulations.

Slow cooking and Holding

SLOWTOP

Low temperature cooking, slow braising, slow roasts, sous vide cooking, regeneration, holding, night cooking. Just some of the countless cooking techniques that SLOWTOP Cook'n'Hold offers. Thanks to its single-phase electrical power supply, it ensures unbeatable performances with **minimal consumption** and is the perfect partner for your oven.



Smoke. Cook. Amaze.

HYPER.Smoker

HYPER.Smoker transforms your oven into a smoker. You can use shavings of natural wood and choose from among **10 different smoking intensities** directly from the control panel of the oven to amaze even the most demanding of palates. Moreover you will smoke food using the energy produced in the cooking chamber without further costs and external electrical power supply.




SMART.Drain

Cooking fat collection system

SMART.Drain is the ideal solution for supermarkets, deli shops, production kitchens and steak houses that carry out cookings with large amount of fat.

Its functioning is based on a special two-way valve that **collects any fat and cooking liquids** created during the cooking program and **drains them into a tank**.



Liquid to tank
(fat collection)

Liquid to drainage
(washing and low-fat cooking)



For each one of your cooking or washing programs, **your oven automatically checks the correct position of the valve** to avoid any risk of the drain being blocked by condensed fat.



The special **POLLO.BLACK trays convey the fats towards the drain**, reducing by up to 80% the amount of fat deposits that accumulate in the cooking chamber compared to normal grills.

Complementary Accessories



Trolley solution Trolley + Basket

Load and unload food safely and simply.

Art. XWVYC-0011 + XWVBC-0611
Technical details at page 82



Closed solution Cabinet + SMART.Drain

The tank is hidden within the cabinet.

Art. XWVEC-0811 + XUC020
Technical details at page 83



Open solution Stand + SMART.Drain

The tank is in the most easily accessible location.

Art. XWVRC-0011-H + XUC020
Technical details at page 83



Double stack solution Oven + Oven + SMART.Drain

Double-stack ovens with SMART.Drain for lower unit.

Art. XWVRC-0011-L-PO + XWVYC-0011-L-PO + XUC020
Technical details at page 83

Complementary Accessories



CHEFTOP MIND.Maps™ PLUS COMPACT

The compact combi oven for Foodservice

CHEFTOP MIND.Maps™
PLUS COMPACT is the
compact professional
combi oven for those who
always want the best
even with limited
available space.

Small spaces, big ambitions

High performances in less than 1 m²

CHEFTOP MIND.Maps™ PLUS COMPACT is the ideal solution for professional kitchens requiring the least footprint and maximum performance.

The CHEFTOP MIND.Maps™ PLUS COMPACT ovens exploit the most advanced Unox technologies.

Grilling, frying, roasting, browning, smoking, steaming and much more. Versatility cooking that reaches its maximum expression in multi-chamber solutions that give free space for ever-changing menus.

24%

Less footprint compared to a non compact oven

72 kg

Maximum capacity
2 x 2 combination *

530 mm

One of the narrowest ovens in its category

*Data refers to a 4 XECC-0513-EPRM ovens combination.



Reduced footprint
Get the most from
vertical spaces

Flexibility
Stack 2 units to enable
different cookings
at the same time

Savings
A smaller cooking
chamber
requires less energy

Intelligence
Focus on your customers,
the oven will do the rest


Solutions to maximize your working space

Compact combinations

Find all the possible solutions for your kitchen.
[Configure](#) your CHEFTOP MIND.Maps™ PLUS oven online.



Configurations



1 m

Configurations



The benefits of 4 cooking chambers in the footprint of 2

A restaurant is made of variable rhythms; turn on just the ovens you need, reducing energy consumption, or turn all of them on for maximum flexibility.

Oven + Stand

The multifunctional support ideal for storing trays safely and place your oven at the appropriate working height.

Art. XWCRC-0613-H
Technical details at page 82



CHEFTOP MIND.Maps™ PLUS BIG

**Stronger
Harder
Faster
Better**

The CHEFTOP MIND.Maps™ PLUS BIG trolley units are the tireless combi ovens for large kitchens that need maximum repeatability of cooking quality and high productivity.

What matters to you

Limitless performances

CHEFTOP MIND.Maps™ PLUS BIG is the trolley combi oven with the highest productivity and reliability.

CHEFTOP MIND.Maps™ PLUS BIG uses the latest technologies to give concrete support to your work.

Steaming, grilling, regeneration of dishes and much more: maximum performance and perfectly optimized full loads.

Quality and cooking uniformity are always guaranteed with any foodload, and the repeatability of cooking is independent by its user.

180 kg

Full load maximum capacity

300 °C

Maximum cooking temperature

4.5 min

Preheating time from 30 °C to 300 °C

Data refer to XEVL-2021-YPRS model



Productivity
High volumes,
zero stops

Uniformity
6 close-pitch
reversing fans

Repeatability
Standardized results,
consistency

Intelligence
Focus on your customers,
the oven will do the rest

Solutions that maximise your return on investment

Maximum Yield, minimum effort

CHEFTOP MIND.Maps™ BIG PLUS ovens offer you flawless cooking results in all load conditions thanks to 6 high-performance motors and fully saturated steam production in the cooking chamber.


Find all the possible solutions
for your kitchen.
[Configure](#) your
CHEFTOP MIND.Maps™ PLUS oven online.



Solutions



2,8 m



Tray insertion from the long side

Better visibility of all the food
in the oven, even when
fully loaded.

Do you need a solution that is
compatible with GN1/2 and GN1/3
trays? Discover CHEFTOP MIND.Maps™
BIG COMPACT at page 58



QUICK.Load

20 GN2/1 or GN 1/1 trolleys
for fast insertion in the oven
and easy transport of full
loads.

Art. XEVTL-2021
Technical details at page 83



QUICK.Plate

A trolley to regenerate up to
102 plates in a few minutes.
We are at your disposal to
customize your QUICK.Plate
based on your specific needs.

Art. XEVTL-102P
Technical details at page 83



HOLDING.Cover

Holding cover keeps
the regenerated plates
at the right temperature
before serving.

Art. XUC031
Technical details at page 83

Solutions



CHEFTOP MIND.Maps™ PLUS BIG COMPACT

Compact outside, big inside

CHEFTOP MIND.Maps™
PLUS BIG COMPACT
professional trolley oven
is the ideal tool for large
kitchens and cooking
centres, that need
to maximise productivity
and space.

CHEFTOP

CHEFTOP

CHEFTOP

CHEFTOP

UNOX

UNOX

UNOX

MIND Maps™

MIND Maps™

Small spaces, big productions

Performance without space limits

CHEFTOP MIND.Maps™ PLUS BIG COMPACT is the professional smart trolley oven which allows you to maximise the productivity per square meter in your kitchen.

CHEFTOP MIND.Maps™ PLUS BIG COMPACT concentrates all Unox technologies in 650 mm width to give you maximum performance in minimum space.

Steaming, grilling, regeneration of dishes and much more: maximum performance via perfectly optimized full loads.

Quality and uniformity of cooking are always guaranteed with any food load, and the repeatability of cooking is independent by its user.

90 kg

Full load maximum **capacity**

300 °C

Maximum cooking **temperature**

4.5 min

Preheating **time** from 30 °C to 300 °C



Reduced footprint
Maximum productivity in just 0,65 square metres

Compatibility
The trolley is compatible with the majority of blast chillers

Performance
High volumes, repeatable processes and uniform results

Intelligence
Focus on your customers, the oven will do the rest

Solutions that maximise the productivity per square metre

Small spaces, big productions


Find all the possible solutions for your kitchen.
Configure your CHEFTOP MIND.Maps™ PLUS oven online.



The benefits of 4 ovens in the footprint of 3



2,8 m



Compatible with GN1/1, GN1/2 and GN1/3 trays

Compact design achieved by inserting the tray from the short side.

Do you need a solution with tray insertion from the long side?
Discover CHEFTOP MIND.Maps™ BIG at page 52.



QUICK.Load

20 GN 1/1 trolleys simplify cooking and transportation of large food quantities.

Art. XECTL-2013
Technical details at page 83

QUICK.Plate

A plate trolley to regenerate and transport up to 51 plates. We can customize the trolley based on your specific needs.

Art. XECTL-051P
Technical details at page 83

HOLDING.Cover

Holding cover keeps the regenerated plates at the right temperature before serving.

Art. XUC033
Technical details at page 83



Cooking Essentials Trays

**Unlimited
cooking
modes**

Purpose-designed pans


Cooking Essentials

SUPER.GRILL

Non-stick aluminium pan plus grill with QUICK.Load system.



Ideal for
Grilled meat;
Grilled fish;
Grilled vegetables.



Advantages
Perfect for full loads.
Grilling times up to 30% less than traditional grill.

Art. TG970 GN 1/1 - Only for COUNTERTOP and BIG models.

GRILL

Non-stick alluminum grilling pan. Does not require to be preheated before use.



Ideal for
Grilled fish;
Grilled vegetables.

Advantages
Does not require to be preheated into the oven to achieve outstanding squared marks on food; Perfect for full loads.

Art. TG885 GN 1/1 - Art. TG720 GN 2/3

FAKIRO.GRILL

Non-stick aluminium pan. Two cooking surfaces: ribbed for grilling, flat for different types of cooking.



Ideal for
Grilled meat and fish;
Grilled vegetables;
Pizza and Focaccia.

Advantages
Grilling times up to 30% less than traditional grilling equipment or fry tops;
Grilling different types of food at the same time.

Art. TG870 GN 1/1 - Art. TG770 GN 2/3

POLLO.GRILL

Stainless steel grid with fat-collection tray.




Ideal for
Spatchcock or Split chicken;
Roast meats;
Roast fish.

Advantages
Fat collection tray that keeps the oven clean;
Works best in combination with SMART.DRAIN fat collection kit.

Art. GRP840 GN 1/1

BACON.40

Stainless steel grid with fat-collection pan.




Ideal for
Bacon;
Roast meat;
Spatchcock or Split chicken.

Advantages
Up to 18 crispy bacon slices in less than 5 mins;
The fat collection tray is coated with non-stick material for easy cleaning.

Art. TG945 GN 1/1

POLLO.BLACK

8 chicken non-stick stainless steel grid.



Ideal for
Whole chickens and birds.

Advantages
Non-stick coating to facilitate bird removal;
Works best in combination with SMART.DRAIN fat collection kit.

Art. GRP825 GN 1/1 - Art. GRP715 GN 2/3

Purpose-designed pans

Cooking Essentials

BLACK.40

40 mm deep, non-stick aluminium pan.



Ideal for

Braising;
Roasting;
Steaming rice.

Advantages

Waste-free braising, roasting and rice steaming;
The tray is coated with high-resistance, non-stick material for easy food removal and cleaning.

Art. TG900 GN 1/1

BLACK.20

20mm non-stick stainless steel pan.



Ideal for

Braising;
Roasting;
Steaming rice.

Advantages

Waste-free braising, roasting and rice steaming;
The tray is coated with high-resistance, non-stick material for easy food removal and cleaning.

Art. TG895 GN 1/1

BLACK.FRY

Non-stick stainless steel frying pan.



Ideal for

Pre-fried frozen food,
French fries.


Advantages

Perforated bottom and sides;
Ribbed bottom to improve air circulation and uniformity on french fries.

Art. GRP816 GN 1/1

CLEAN.FRY

Non-stick frying grid with fat collection tray.



Ideal for

Frozen pre-fried foods.

Advantages

Frying pan with non-stick coated fat-collection pan for easy food removal and cleaning.

Art. GRP820 GN 1/1

POTATO.FRY

French fries frying pan.



Ideal for

French fries

Advantages

Perforated bottom and sides;
Ribbed bottom to improve air circulation on french fries.

Art. GRP817 GN 1/1

PAN.FRY

Non-stick stainless steel frying pan.



Ideal for

Nuggets;
Breaded veggies;
Fish and meat sticks.

Advantages

Less oil to be used for cooking;
Identical frying results on each piece of food.


Art. TG905 GN 1/1 - Art. TG735 GN 2/3

Purpose-designed pans

Cooking Essentials

EGGS 6 x 2

Non-stick alluminum pan for 6 double-egg portions.



Ideal for

Fried eggs;
Sunny side up eggs;
Omelette.

Advantages

Huge quantities of eggs cooked
in less than 4 minutes;
Easy to clean and made to last.

Art. TG935 GN 1/1

EGGS 8 x 1

8 single-eggs non-stick alluminum pan.



Ideal for

Fried eggs;
Sunny side up eggs and omelette;
Poached egg.


Advantages

Huge quantities of fried or poached eggs in
less than 4 minutes;
Easy to clean and made to last.

Art. TG936 GN 1/1 - Art. TG937 GN 2/3

STEAM

Stainless steel steaming pan.



Ideal for

Steaming;
Sous-Vide Cooking.


Advantages

Perforated bottom and sides to improve steam
circulation on food.

Art. GRP815 GN 1/1 - Art. GRP710 GN 2/3

FORO.STEEL20

Perforated stainless steel pan.



Ideal for

Steaming;
Sous-Vide Cooking.

Advantages

Perforated bottom to improve steam
circulation on food.

Art. TG810 GN 1/1 - Art. TG710 GN 2/3

FORO.BLACK

Non-stick perforated alluminum tray.



Ideal for

Croissant;
Frozen bread,
Pastry.

Advantages

Non-stick coating;
Ultra-low sides to improve air circulation
on each piece.

Art. TG890 GN 1/1 - Art. TG730 GN 2/3

FORO.SILICO

Silicon-coated perforated alluminum pan.




Ideal for

Croissant;
Frozen bread;
Pastry.

Advantages

Perforated silicon-coated alluminum pan;
High-temperature resistant;
Ideal to be used with sugar coated pastries.

Art. TG975 GN 1/1

A close-up photograph of a black spray nozzle attached to a stainless steel surface, likely inside an oven. The nozzle is spraying water, creating numerous small droplets that are captured in mid-air. The background is blurred, showing the interior of the oven with a circular vent or burner area.


Take care of your oven

Care and maintenance

Press a button and select the washing mode that is more suitable for the actual degree of dirt. While the oven washes, focus on what counts for your kitchen.

UNOX.Pure

DET&Rinse™



Care and Maintenance



PURE-RO

Reverse osmosis system that complete eliminates Chlorides and limescale from water.

Art. XHC002
Technical details at page 83

Not required for CHEFTOP MIND.Maps™ BIG ovens.



PURE

The UNOX.Pure filter reduces the carbonate hardness in water, thus avoiding scale deposits inside the oven cooking chamber.

Art. XHC003
Technical details at page 83



REFILL

Replacement cartridge for UNOX.Pure.

Art. XHC004
Technical details at page 83



PLUS

Cleaning and rinse agents to combine maximum cleanliness with minimum consumption and long life for your oven.

Art. DB1015
Technical details at page 83



ECO

Eco formula for daily cleaning and the utmost respect for the environment. Ideal for mild level of dirt.

Art. DB1018
Technical details at page 83



ULTRA

Ultra strong detergent for high level of dirt, recommended for poultry and meat fats.

Art. DB1050*
Technical details at page 83

*Check the product availability for your Country.


Care and Maintenance

MIND.Maps™ PLUS

Discover all the ovens and their combined accessories

The most intelligent oven in the world


COMPACT



535 x 672 x 649 mm
w x d x h

⚡ XECC - 0523 - EPRM


capacity 5 GN 2/3
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 5,15 kW
weight 58 kg



535 x 872 x 649 mm
w x d x h

⚡ XECC - 0513 - EPRM


capacity 5 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 9,3 kW
weight 68 kg



535 x 872 x 984 mm
w x d x h

⚡ XECC - 1013 - EPRM

capacity 10 GN 1/1
pitch 67 mm
frequency 50 Hz
voltage 380-415V 3N~
power 18,5 kW
weight 94 kg




650 x 1002 x 1875 mm
w x d x h

⚡ XECL - 2013 - YPRS

capacity 20 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 38,5 kW
weight 296 kg


COUNTERTOP GN 2/1



860 x 1145 x 842 mm
w x d x h

⚡ XEVC - 0621 - EPRM

capacity 6 GN 2/1
pitch 77 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 20,5 kW
weight 120 kg



860 x 1145 x 1162 mm
w x d x h

⚡ XEVC - 1021 - EPRM

capacity 10 GN 2/1
pitch 77 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 31 kW
weight 170 kg


🔥 XEVC - 0621 - GPRM

capacity 6 GN 2/1
pitch 77 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 1 kW
max. gas 27 kW
rated power
weight 155 kg

🔥 XEVC - 1021 - GPRM

capacity 10 GN 2/1
pitch 77 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 1,4 kW
max. gas 43 kW
rated power
weight 183 kg


BIG



892 x 925 x 1875 mm
w x d x h

⚡ XEVL - 2011 - YPRS

capacity 20 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 38,5 kW
weight 292 kg



892 x 1164 x 1875 mm
w x d x h

⚡ XEVL - 2021 - YPRS

capacity 20 GN 2/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 65 kW
weight 339 kg

⚡ XEVL - 2011 - DPRS

capacity 20 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 38,5 kW
weight 292 kg

⚡ XEVL - 2021 - DPRS

capacity 20 GN 2/1
pitch 67 mm
frequency 50/60 Hz
voltage 220-240V 3~
power 65 kW
weight 339 kg


🔥 XEVL - 2011 - GPRS

capacity 20 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 2,5 kW
max. gas 48 kW
rated power
weight 309 kg

🔥 XEVL - 2021 - GPRS

capacity 20 GN 2/1
pitch 67 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 2,6 kW
max. gas 90 kW
rated power
weight 363 kg


COUNTERTOP GN 1/1



750 x 783 x 538 mm
w x d x h

⚡ XEVC - 0311 - EPRM


capacity 3 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 5 kW
weight 56 kg



750 x 783 x 675 mm
w x d x h

⚡ XEVC - 0511 - EPRM


capacity 5 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 9,3 kW
weight 70 kg



750 x 783 x 843 mm
w x d x h

⚡ XEVC - 0711 - EPRM

capacity 7 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 11,7 kW
weight 86 kg



750 x 783 x 1010 mm
w x d x h

⚡ XEVC - 1011 - EPRM

capacity 10 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 380-415V 3N~
power 18,5 kW
weight 98 kg

🔥 XEVC - 0511 - GPRM

capacity 5 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 0,6 kW
max. gas 15 kW
rated power
weight 83 kg

🔥 XEVC - 0711 - GPRM

capacity 7 GN 1/1
pitch 67 mm
frequency 50/60 Hz
voltage 220-240V 1N~
power 1 kW
max. gas 19 kW
rated power
weight 104 kg

🔥 XEVC - 1011 - GPRM

capacity 10 GN 1/1
pitch 67 mm
frequency 50 Hz
voltage 220-240V 1N~
power 1 kW
max. gas 22 kW
rated power
weight 117 kg

Notes

All ovens have an optional model with a left to right door opening - item code example XEVC-1011-EPLM.
One shelf of the GN 2/1 ovens can contain up to 2 GN 1/1 trays.
All BIG ovens have the trolley included.



Technical details



Anti condensation drip tray



Integrated Wi-Fi



Triple glass




Integrated DET&Rinse™ tank



MULTI.point and SOUS Vide core probe



Integrated LED light



High performance insulation materials




4 speed multiple fan system with high performance heating elements



Stainless steel AISI 304 cooking chamber



Pressure burners with symmetrical heat exchangers



Cooking chamber with perforated anti tip trays support



Door docking position at 60°/120°/180°




USB port for upload/download of data



Ergonomic handle

Technical details



Collected water conveyed directly into the oven drain pipe



Integrated Wi-Fi



Cooking chamber made of highly corrosion-resistant AISI 316L steel.



Space-frame chassis made of 50 mm thick stainless steel tubes.




USB port for upload/download of data




MULTI.point and SOUS Vide core probe



Integrated LED light



High performance insulation materials




6 close-pitch reversing fans and straight-line heating elements with high power intensity




Push-to-close system with safety latch.



High-performance pressure burners with symmetrical heat exchangers



Triple glass



Ergonomic handle

Features

- Standard
- Optional
- Not available

BIG and BIG COMPACT
COUNTERTOP and COMPACT


	BIG and BIG COMPACT	COUNTERTOP and COMPACT
UNOX INTELLIGENT PERFORMANCE		
ADAPTIVE.Cooking™: automatically regulates the cooking parameters to ensure repeatable results	● ●	● ●
CLIMALUX™: total control of the humidity in the cooking chamber	● ●	● ●
SMART.Preheating: sets automatically the temperature and the duration of the preheating	● ●	● ●
AUTO.Soft: manages the heat rise to make it more delicate	● ●	● ●
SENSE.Klean: estimates how dirty the oven is and suggests appropriate automatic cleaning	● ●	● ●
UNOX INTENSIVE COOKING		
DRY.Maxi™: rapidly extracts the humidity from the cooking chamber	● ●	● ●
STEAM.Maxi™: produces saturated steam starting from 35 °C	● ●	● ●
AIR.Maxi™: multiple fans with reverse gear and 4 speed settings	● ●	● ●
EFFICIENT.Power: ENERGY STAR certified energy efficiency	● ●	● ●
PRESSURE.Steam: increases the saturation and temperature of steam	● ●	● ●
DATA DRIVEN COOKING		
Wi-Fi connection	● ●	● ●
Ethernet connection	○ ○	○ ○
ddc.unox.com: control the oven usage in real time, create and send recipes from your PC to your ovens	● ●	● ●
DDC.Stats: analyse, compare and improve the user and consumption data of your oven	● ●	● ●
DDC.App: monitor all connected ovens in real time from your smartphone	● ●	● ●
DDC.Coach: analyses the way in which you use the oven and suggests personalised recipes	● ●	● ●
MANUAL COOKING		
Convection cooking from 30 °C to 260 °C	● ●	● ●
Convection cooking from 30 °C to 300 °C	● ●	— —
Mixed convection + steam cooking starting from 35 °C with STEAM.Maxi™ from 30% to 90%	● ●	● ●
Convection + humidity cooking starting from 48 °C with STEAM.Maxi™ from 10% to 20%	● ●	● ●
Saturated steam cooking starting from 48 °C to 130 °C with STEAM.Maxi™ 100%	● ●	● ●
Convection cooking + forced humidity extraction from 30 °C with DRY.Maxi™ from 10% to 100%	● ●	● ●
Cooking with core probe and DELTA T function	● ●	● ●
Single-point core probe	— —	— —
MULTI.Point core probe - excluding models XEVC-0311-EPRM / XECC-0523-EPRM	● ●	● ●
SOUS-VIDE core probe	○ ○	○ ○
ADVANCED AND AUTOMATIC COOKING		
MIND.Maps™: draw the cooking processes directly on the display	● ●	● ●
PROGRAMMES: up to 384 programmes that can be saved with name, picture or handwritten signature	● ●	● ●
CHEFUNOX: choose something to cook from the library and the oven will automatically set all the parameters	● ●	● ●
MULTI.Time: manages up to 10 cooking processes at the same time	● ●	● ●
MISE.EN.PLACE: synchronises the insertion of pans so that all the dishes are ready at the same time	● ●	● ●
AUTOMATIC CLEANING		
Rotor.KLEAN™: 4 automatic cleaning programmes	● ●	● ●
Rotor.KLEAN™: water and detergent level detector – excluding models XEVC-0311-EPRM / XECC-0523-EPRM	● ●	● ●
Integrated DET&Rinse™ detergent container	● ●	● ●
AUXILIARY FUNCTIONS		
Preheating up to 300 °C can be set by the user for each programme	● ●	— —
Preheating up to 260 °C can be set by the user for each programme	● ●	● ●
Remaining cooking time display	● ●	● ●
Holding cooking mode "HOLD" and continuous functioning "INF"	● ●	● ●
Display of the nominal value of the cooking parameters	● ●	● ●
Temperature units in °C or °F	● ●	● ●
PERFORMANCE AND SAFETY		
Protek.SAFE™: automatic fan stop on opening the door	● ●	● ●
Protek.SAFE™: power modulation of electricity or gas depending on actual need	● ●	● ●
Spido.GAS™: high-performance straight heat exchanger pipes for symmetrical heat distribution	— —	● ●
Spido.GAS™: high-performance pressure burners and symmetrical exchangers	— ●	— —
TECHNICAL DETAILS		
Cooking chamber in high-resistance AISI 304 stainless steel with rounded edges	— —	● ●
Moulded cooking chamber in AISI 316 L marine stainless steel	● ●	— —
Cooking chamber with C-shaped rack rails	● ●	● ●
Cooking chamber lighting through LED lights embedded in the door	● ●	● ●
9.5" touchscreen capacitive control panel	● ●	● ●
7" touchscreen resistive control panel	— —	— —
Control panel with water resistance certification - IPX5	● ●	● ●
Drip collection system integrated in the door and functional even with the door open	● ●	● ●
Heavy-duty structure with the use of innovative materials	● ●	● ●
4-speed multiple fan system and high-performance circular resistance	— —	● ●
6 motors with multiple fan system with reverse gear and high power intensity rectilinear resistance	● ●	— —
Door hinges made of high-resistance, self-lubricating techno-polymer	● ●	● ●
Door stop positions 120° - 180°	● ●	— —
Door stop positions 60° - 120° - 180°	— —	● ●
Reversible door in use even after installation	— —	○ ○
Door thickness 70 mm	● ●	— —
Detachable internal glass door for ease of cleaning	● ●	● ●
Two-stage safety door opening / closure	● ●	○ ○
Proximity door contact switch	● ●	● ●
Self-diagnosis system to detect problems or breakdowns	● ●	● ●
Safety temperature switch	● ●	● ●

Accessories

Discover all the available accessories on our website




SLOWTOP



SLOWTOP


for GN1/1 COUNTERTOP ovens
750 x 792 x 961 mm - w x d x h
Art. XEVSC-0711-CRM

HOODS



HOOD WITH ACTIVATED CARBON FILTER

for 10 & 6 GN 2/1 COUNTERTOP ovens
868 x 1323 x 366 mm - w x d x h
Art. XEVHC-CF21




HOOD WITH STEAM CONDENSER

for 10 & 6 GN 2/1 COUNTERTOP ovens
868 x 1323 x 240 mm - w x d x h
Art. XEVHC-HC21


for 20 GN 1/1 BIG ovens
892 x 1131 x 342 mm - w x d x h
Art. XEAHL-HCFL

for 20 GN 1/1 BIG COMPACT ovens
650 x 1208 x 240 mm - w x d x h
Art. XECHL-HCFC




HOOD WITH ACTIVATED CARBON FILTER

for GN 1/1 COUNTERTOP ovens
750 x 956 x 366 mm - w x d x h
Art. XEVHC-CF11




HOOD WITH STEAM CONDENSER

for GN 1/1 COUNTERTOP ovens
750 x 956 x 240 mm - w x d x h
Art. XEVHC-HC11



HOOD WITH ACTIVATED CARBON FILTER

for GN 1/1 COMPACT ovens
535 x 1018 x 366 mm - w x d x h
Art. XEHC-CF13




HOOD WITH STEAM CONDENSER

for GN 1/1 COMPACT ovens
535 x 1100 x 240 mm - w x d x h
Art. XEHC-HC13

for GN 2/3 COMPACT ovens
535 x 900 x 240 mm - w x d x h
Art. XEHC-HC23

NEUTRAL CABINET




NEUTRAL CABINET

for GN 2/1 COUNTERTOP ovens
860 x 1079 x 717 mm - w x d x h
Art. XWVEC-0821

for GN 1/1 COUNTERTOP ovens
750 x 656 x 676 mm - w x d x h
Art. XWVEC-0811

STAND



ULTRA HIGH STAND

for GN 1/1 COUNTERTOP ovens
732 x 641 x 888 mm - w x d x h
Art. XWVRC-0711-UH

HIGH STAND

for GN 2/1 COUNTERTOP ovens
842 x 864 x 692 mm - w x d x h
Art. XWVRC-0721-H

for GN 1/1 COUNTERTOP ovens
732 x 546 x 752 mm - w x d x h
Art. XWVRC-07 11-H

for GN 1/1 COMPACT ovens
518 x 779 x 744 mm - w x d x h
Art. XWCRC-0613-H

for GN 2/3 COMPACT ovens
518 x 585 x 744 mm - w x d x h
Art. XWCRC-0623-H

INTERMEDIATE STAND

for GN 1/1 COUNTERTOP ovens
732 x 546 x 462 mm - w x d x h
Art. XWVRC-0011-M

LOW STAND

for GN 2/1 COUNTERTOP ovens
842 x 891 x 305 mm - w x d x h
Art. XWVRC-0021-L

for GN 1/1 COUNTERTOP ovens
732 x 546 x 305 mm - w x d x h
Art. XWVRC-0011-L

for GN 1/1 COMPACT ovens
518 x 684 x 305 mm - w x d x h
Art. XWCRC-0013-L

for GN 2/3 COMPACT ovens
518 x 484 x 305 mm - w x d x h
Art. XWCRC-0023-L


HYPER.SMOKER



HYPER.SMOKER

for CHEFTOP MIND.Maps™ PLUS ovens - Check the compatibility with models that have been produced before 2016
Art. XUC090

FLOOR POSITIONING STAND



*Mandatory for oven positioning on the floor


FLOOR POSITIONING STAND

for GN 2/1 COUNTERTOP ovens
842 x 891 x 113 mm - w x d x h
Art. XWVRC-0021-F

for GN 1/1 COUNTERTOP ovens
732 x 546 x 113 mm - w x d x h
Art. XWVRC-0011-F

for GN 1/1 COMPACT ovens
732 x 479 x 113 mm - w x d x h
Art. XECRC-0013-F


BASKETS AND TROLLEYS



BASKET

for 10 GN 2/1 COUNTERTOP ovens
622 x 674 x 865 mm - w x d x h
Art. XWVBC-1021


for 10 GN 1/1 COUNTERTOP ovens
568 x 361 x 713 mm - w x d x h
Art. XWVBC-0911



BASKET

for 6 GN 2/1 COUNTERTOP ovens
622 x 674 x 545 mm - w x d x h
Art. XWVBC-0621

for 7 GN 1/1 COUNTERTOP ovens
568 x 361 x 546 mm - w x d x h
Art. XWVBC-0611




TROLLEY

for GN 2/1 baskets
647 x 855 x 923 mm - w x d x h
Art. XWVYC-0021

for GN 1/1 baskets
605 x 700 x 923 mm - w x d x h
Art. XWVYC-0011


WHEELS KIT



WHEELS KIT

2 wheels with brake - 2 wheels without brake - safety chains
Art. XUC012

QUICK.LOAD & QUICK.PLATE




QUICK.LOAD

for 20 GN 2/1 BIG ovens
776 x 851 x 1741 mm - w x d x h
Art. XEVTL-2021

for 20 GN 1/1 BIG ovens
776 x 681 x 1741 mm - w x d x h
Art. XEVTL-2011

for 20 GN 1/1 BIG COMPACT ovens
520 x 668 x 1745 mm - w x d x h
Art. XECTL-2013




HOLDING.COVER

thermocover

for QUICK.LOAD and QUICK.PLATE GN 2/1
Art. XUC031

for QUICK.LOAD and QUICK.PLATE GN 1/1
Art. XUC030

for QUICK.LOAD and QUICK.PLATE BIG COMPACT
Art. XUC033



QUICK.PLATE


for 20 GN 2/1 BIG ovens
- 102 plates
776 x 851 x 1709 mm - w x d x h
Art. XEVTL-102P

for 20 GN 1/1 BIG ovens
- 51 plates
776 x 681 x 1709 mm - w x d x h
Art. XEVTL-051P

for 20 GN 1/1 BIG COMPACT ovens
- 34 plates
520 x 668 x 1711 mm - w x d x h
Art. XECTL-034P

for 20 GN 1/1 BIG COMPACT ovens
- 51 plates
520 x 668 x 1711 mm - w x d x h
Art. XECTL-051P

SMART.DRAIN



SMART.DRAIN

cooking fat and liquid collection system


for neutral cabinet and high open stand
Art. XUC020

*for all the solutions see page 40



STAND


for GN 1/1 COUNTERTOP ovens
732 x 546 x 305 mm - w x d x h
Art. XWVRC-0011-L-PO



TROLLEY


for GN 1/1 COUNTERTOP ovens
629 x 708 x 106 mm - w x d x h
Art. XWVYC-0011-L-PO

CARE AND MAINTENANCE



UNOX.PURE-RO

reverse osmosis filtering system
Art. XHC002



UNOX.PURE

water treatment with resin filters
Art. XHC003

+ REFILL FILTER CARTRIDGE
Art. XHC004


OVEN CLEANING PRODUCTS



DET&RINSE™ PLUS DET&RINSE™ ECO DET&RINSE™ ULTRA

one box contains 10 x 1 lt tanks
Art. DB1015
Art. DB1018
Art. DB1050

CONNECTIVITY




ACCESSORIES FOR THE OVENS CONNECTION

Ethernet connection kit
Art. XEC001

Technical Assistance

Installation

The right partner next to your kitchen



A global Service network

A perfect installation is essential to guarantee the correct functioning of your MIND.Maps™ PLUS oven and eliminate interruptions in your daily work. We focus on you, so you can focus on what matters to you. Find the authorized Service Centers nearest to your kitchen.

Maintenance

Don't stop your kitchen



The quickest on site Service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon or even before maintenance is required. Keeping in optimal condition your oven is Unox' priority: our technicians are at your disposal to provide you the best on-line and on-site support.

LONG.Life and LONG.Life4 Warranty

A promise of reliability



A choice made to last


Connect your CHEFTOP MIND.Maps™ PLUS to the internet and activate the UNOX LONG.Life4 extended warranty on our website unox.com. Up to 4 years / 10.000 working hours, whichever occurs first, on parts and 2 years on labor.*

*Check the Guarantee Conditions for your country on our website unox.com

LONGLife4!

Global Company. Best Services worldwide.

UNOX in the world



Contacts

Contacts

INTERNAZIONALE

UNOX S.p.a
Via Majorana, 22
35010 - Cadoneghe (PD) - Italy
E-mail: info@unox.com
Tel: +39 049 8657511

EUROPE

IT - ITALIA
UNOX S.p.a
E-mail: info@unox.it
Tel: +39 049 736 0781

DE - DEUTSCHLAND
UNOX DEUTSCHLAND GMBH
E-mail: info.de@unox.com
Tel: +49 32 211121581

FR - FRANCE, BELGIUM & LUXEMBOURG
UNOX FRANCE s.a.s.
E-mail: info.fr@unox.com
Tel: +33 4 81 68 19 12

PT - PORTUGAL
UNOX PORTUGAL
E-mail: info.pt@unox.com
Tel: +351 918 228 787

ES - ESPAÑA
UNOX PROFESIONAL ESPAÑA S.L.
E-mail: info.es@unox.com
Tel: +34 932 20 36 52

GB - UNITED KINGDOM
UNOX UK Ltd.
E-mail: info.uk@unox.com
Tel: +44 1252 851 522

IE - IRELAND
UNOX IRELAND
E-mail: info.ie@unox.com
Tel: +353 (0) 87 32 23 218

SC - SCANDINAVIAN COUNTRIES
UNOX SCANDINAVIA AB
E-mail: info.se@unox.com
Tel: +46(0)790 75 63 64

AT - ÖSTERREICH
UNOX ÖSTERREICH GMBH
E-mail: info.de@unox.com
Tel: +43 1206 092 068

RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ
UNOX РОССИЯ
E-mail: info.ru@unox.com
Tel: +7 (499) 702 - 00 - 14

CZ - ČESKÁ REPUBLIKA
UNOX DISTRIBUTION s.r.o.
E-mail: info.cz@unox.com
Tel: +420 241 940 000

HR - HRVATSKA
UNOX CROATIA
E-mail: narudzbe@unox.com
Tel: +39 049 86 57 538

BG - БЪЛГАРИЯ
UNOX BULGARIA
E-mail: info.bg@unox.com
Tel: +359 2 419 05 00

PL - POLSKA
Unox Polska Sp.oz.o.
E-mail: info.pl@unox.com
Tel: + 48 22 104 17 01

TR - TÜRKİYE - UNOX TURKEY
Profesyonel mutfak ekipmanlari endüstri ve ticaret limited şirketi
E-mail: info.tr@unox.com
Tel: +90 530 176 62 03

NL - NETHERLANDS
UNOX NETHERLANDS B.V.
E-mail: info.nl@unox.com
Tel: +31 70 700 6170

AMERICA

US - U.S.A. & CANADA
UNOX Inc.
E-mail: info.usa@unox.com
Tel: +1 800 489 8669

CO - COLOMBIA
UNOX COLOMBIA
E-mail: info.co@unox.com
Tel: +57 350 65 88 204

BR - BRASIL
UNOX BRASIL SERVICOS LTDA.
E-mail: info.br@unox.com
Tel: +55 11 98717-8201

AR - ARGENTINA
UNOX ARGENTINA
E-mail: info.ar@unox.com
Tel: +54 911 37 58 43 46

MX - MEXICO,
S. DE R.L. DE C.V.
E-mail: info.mx@unox.com
Tel: +52 55 8116-7720

ASIA, OCEANIA & AFRICA

ZA - SOUTH AFRICA
UNOX SOUTH AFRICA
E-mail: info.za@unox.com
Tel: +27 845 05 52 35

AE - U.A.E.
UNOX MIDDLE EAST DMCC
E-mail: info.uae@unox.com
Tel: +971 4 554 2146

UZ - UZBEKISTAN
UNOX PRO LLC
E-mail: info.uz@unox.com
Tel: +998 90 370 90 10

CN - 中华人民共和国
UNOX TRADING(SHANGHAI) Ltd. CO.
E-mail: info.china@unox.com
Tel: +86 21 56907696

MY - MALAYSIA & SINGAPORE
UNOX (ASIA) SDN. BHD
E-mail: info.asia@unox.com
Tel: +603-58797700

PH - PHILIPPINES
UNOX PHILIPPINES
E-mail: Order.Asia@unox.com
Tel: +63 9173108084

ID - INDONESIA
UNOX INDONESIA
E-mail: Order.Asia@unox.com
Tel: +62 81908852999

KR - 대한민국
UNOX KOREA CO. Ltd.
E-mail: info.kr@unox.com
Tel: +82 2 69410351

TW - TAIWAN, HONG KONG & MACAU
UNOX TAIWAN
E-mail: info.tw@unox.com
Tel: +886 928 250 536

AC - OTHER ASIAN COUNTRIES
UNOX (ASIA) SDN. BHD
E-mail: info.asia@unox.com
Tel: +603-58797700

AU - AUSTRALIA
UNOX AUSTRALIA PTY Ltd.
E-mail: info@unoxaustralia.com.au
Tel: +61 3 9876 0803

NZ - NEW ZEALAND
UNOX NEW ZEALAND Ltd.
E-mail: info@unox.co.nz
Tel: +64 (0) 800 76 0803

IN - INDIA
UNOX INDIA PRIVATE LIMITED
E-mail: info.in@unox.com
Tel: +971 4 554 2146

VN - VIETNAM
UNOX INDOCHINA
E-mail: info.asia@unox.com
Tel: +84916560803

MIND.Maps™ PLUS

MIND.Maps™ PLUS



INVENTIVE SIMPLIFICATION

unox.com



L11387B1 printed on 11-2021

All images used are for illustrative purposes only.

All features indicated in this catalogue may be subject to change and could be updated without notice.