




<b>Code:</b>	<b>COLD UNITS</b>	<b>Model:</b>
172601010	PREMIER M 60 EN 40X60 SINGLE DOOR REFRIGERATOR CABINET	PREMIER M 60



### MAIN FEATURES

- \* 40 x 60 size refrigerator with single door
- \* 304 quality stainless steel
- \* Operating temperature -5/+12 °C
- \* Maximum internal capacity minimal temperature increase during defrost
- \* Most efficient air distribution inside with a specially designed air channel
- \* The inner lower base which are moulded comply with the highest hygiene standards with rounded corners and are made of stainless steel
- \* Monoblock design
- \* Automatic fan cutout switch and internal led light
- \* Wide magnetic removable gasket with triple insulation area provides an effective seal which reduces heat lost
- \* 40-42 kg/m<sup>3</sup> density environment friendly HFC-Free Polyurethane insulation for low energy consumption (78 mm)
- \* Protecting Class (IP2X)
- \* Ventilated cooling design
- \* Reversible door allows the appliances to be adapted to any individual installation site
- \* Standart 4 rails with special design for each side inside the cabinet

### OPTIONS

- \* **Leg Option:** Leg/Castor
- \* **Shelf Option:** Nylon/Stainless
- \* **Plug Option:** UK/EU
- \* **Door Option:** Left Hinged / Right Hinged

### ACCESSORIES

- \* Master Key
- \* Set of Plastic Coated Shelf
- \* Set of Inox Shelf
- \* Set of Premier 60 Type Rail
- \* Set of Stainless Steel Leg
- \* Set of Ø100 Castor





### STANDARDS

- \* EN 60335-1 European Standard relating to safety of household and similar electrical appliances
- \* EN 60335-2-89 European Standard relating to particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor
- \* ISO 22041:2019 Refrigerated storage cabinets and counters for professional use Performance and energy consumption





<b>Code:</b>	<b>COLD UNITS</b>	<b>Model:</b>
172601010	PREMIER M 60 EN 40X60 SINGLE DOOR REFRIGERATOR CABINET	PREMIER M 60



<b>DIMENSIONS (Net)</b>		<b>DIMENSIONS (Shipping)</b>	
* Width (mm):	610	* Width (mm):	670
* Depth (mm):	920	* Depth (mm):	880
* Height (mm):	2080	* Height (mm):	2150
* Weight (kg):	110	* Weight (kg):	120
		* Volume (m³):	1,27

<b>TECHNICAL SPECIFICATIONS</b>			
* Gross Volume:	480 L	* Cooling Temperature:	-5/+12 °C
* Net Volume:	335 L	* Cooling Gas Type:	R600a
* Climate Class:	CC5 (+40 °C - %40 Rh)	* Cooling Capacity:	206 W (-10° / +45°)
* Energy Efficiency Class:	A	* Supply Voltage:	230V / NPE 50 Hz
* Energy Efficiency Index:	24,71	* Protection Class:	IP 2X
* Energy Consumption:	0,785 kW/24h	* Cooling System Design:	Ventilated
* Connection Load:	120 W	* Sound Level:	46 dB

